



Systemair SYSAQUA45.H.1P-SP.WPS.AVM

[Більш детальна інформація в нашому онлайн-каталозі](#)

Артикул: 372039
Виробник: Frisco
Код товару: SYSAQUA45.H.1P-SP.WPS.AVM

від 0 грн.

Опис

SysAquaL/SysAquaH 25 to 125 have been designed and optimized to operate with R410A refrigerant fluid. They are of single refrigerant circuit type.

They are available in cooling only (SysAquaL) and heat pump (SysAquaH) versions.

Each version consists of 11 sizes (25, 30, 35, 40, 45, 55, 65, 75, 90, 105 & 125) and covers a nominal cooling capacity range from 25.0 to 122 kW and a nominal heating capacity range from 26.9 to 120 kW.

All units are equipped with two scroll compressors fitted in tandem for adapting to partial system loads.

The general operation status of the machine is continuously under the control of an IHM controller.

The SysAquaL and SysAquaH units can operate without water tank, thanks to the IHM controller that implements an auto-adaptive control logic ensuring a total protection of the compressors at different load or water volume conditions. The minimum water volume requested in cooling mode is 3.5 litres per kW for application air conditioning and 10 litres per kW for application process.

In heating mode, 12.5 litres per kW are recommended in order to guarantee homogeneous temperatures during the defrosting cycles (comfort and energysavings). A fan speed controller can be also supplied as factory-fitted option to authorize the unit to operate in cooling mode at low ambient temperature.

SysAquaL and SysAquaH units can be supplied in several versions:

- STD (Standard) version : Includes a low noise (LS) acoustical performance.
- XLN (Extra low noise) version : Obtained by the installation of acoustic box around compressors.
- HPF version : Increases the static pressure.

Cabinet and structure

The cabinet and structure of the unit are of heavy duty galvanized steel. All galvanized steel components are individually painted by a special painting process before the assembly of the unit. This painting system performs a homogeneous protection to the corrosion. The painting is a polyester powder based type, coloured in RAL 7040.

The units SysAquaL/SysAquaH are suitable for outdoor installation, directly on the building roof or at the ground level.

Compressors

Each unit is equipped with two scroll compressors fitted on a rail and assembled together to form tandem compressors.

The compressors are then mounted on rubber pads in order to eliminate noise and vibration transmissions. The compressor motor shave a direct startup. Each motor is cooled by the refrigerant gas and is equipped with an overload protection.

A phase sequence monitor is supplied as standard.

Evaporator

The evaporator is consisting of a stainless steel plate heat exchanger insulated with closed cell synthetic foam. It is protected by an antifreeze electric heater to ensure a good protection against freezing at low ambient temperature (-10 °C min.) when the unit is switched off.

Maximum working pressure is 10 bar at water side and 45 at refrigerant side.

Документація

- [certificationDiploma20170307132511.428.pdf \(1,78 MB\)](#)
- [certificationDiploma20170307132511.428.pdf \(1,78 MB\)](#)
- [certificationDiploma20170307132511.428.pdf \(1,78 MB\)](#)
- [certificationDiploma20170307132511.428.pdf \(1,78 MB\)](#)
- [DC112 SYSAQUA.pdf \(207,68 KB\)](#)
- [DC112 SYSAQUA.pdf \(207,68 KB\)](#)
- [DC112 SYSAQUA.pdf \(207,68 KB\)](#)
- [DC112 SYSAQUA.pdf \(207,68 KB\)](#)
- [EDM SYSAQUA 20-125 \(EDM AQA1-S-13GB\) \(25,33 MB\)](#)
- [EDM SYSAQUA 20-125 \(EDM AQA1-S-13GB\) \(25,33 MB\)](#)
- [EDM SYSAQUA 20-125 \(EDM AQA1-S-13GB\) \(25,33 MB\)](#)
- [EDM SYSAQUA 20-125 \(EDM AQA1-S-13GB\) \(25,33 MB\)](#)
- [ELM AQA 01-S-3GB.PDF \(609,87 KB\)](#)
- [ELM AQA 01-S-3GB.PDF \(609,87 KB\)](#)
- [ELM AQA 01-S-3GB.PDF \(609,87 KB\)](#)
- [ELM AQA 01-S-3GB.PDF \(609,87 KB\)](#)
- [IOM SYSAQUA 45-125 \(IOM AQA 05-N-3GB\) \(25,76 MB\)](#)
- [IOM SYSAQUA 45-125 \(IOM AQA 05-N-3GB\) \(25,76 MB\)](#)
- [IOM SYSAQUA 45-125 \(IOM AQA 05-N-3GB\) \(25,76 MB\)](#)
- [IOM SYSAQUA 45-125 \(IOM AQA 05-N-3GB\) \(25,76 MB\)](#)

Аналоги

- [Systemair IV 50-4/8 \(B\)](#)
- [Systemair SYSCROLL 240 Air RE](#)
- [Systemair WQH 524 BLN](#)
- [Systemair E-Bacnet2-V converter](#)
- [Systemair DVSI 499DV sileo**](#)
- [Systemair SYSAQUA75.H.1P-SP.WPS.AVM.T](#)
- [Systemair PRF 180DV](#)
- [Systemair SYSAQUA35.H.1P-SP.WPS.AVM.T](#)
- [Systemair SYSCREW 1220 WATER EVO HP](#)

Характеристики

Номінальні параметри	
Частота, Гц	400
Споживаний струм, А	50
Витрата повітря, м³/год	540
Макс. розсіювана потужність, Вт	41
Звукові параметри	
Рівень звукового тиску на 4 м (вільне поле), дБ(А)	48
Електричне нагрівання	
Підвищення температури, повна потужність, максимальна витрата повітря, °C	3N~
Продуктивність	
Коефіцієнт EER, W/W	46,8
Місткість конденсатора, µF	2,8
Рівень звукового тиску з відривом 1 м, зовнішній блок, дБ(А)	2,77
Тепловий насос	
Витрата палива, кг/год	48,5

- [Systemair PF VTR 150 M5/ePM10 50% Ext](#)
- [Systemair DVEX 355D4 Roof fan \(EX-RU\)](#)
- [Systemair SysFreeCool 24](#)
- [Systemair MUB/T-S 025 315EC Pnti-20](#)
- [Systemair WQH 190 BLN](#)
- [Systemair SysFreeCool 33](#)
- [Systemair VLC 804](#)
- [Systemair SYSCROLL 240 Air CO](#)
- [Systemair KVO 125 Circular duct fan](#)
- [Systemair SYSAQUA140.H.1P-SP.WPS.AVM.T](#)
- [Systemair DVSI 500DV](#)
- [Systemair SYSCREW 630 WATER EVO HP](#)
- [Systemair SYSCREW 1130 WATER EVO HP](#)
- [Systemair SYSCREW 1280 WATER EVO RC](#)
- [Systemair PF VTC 300 F7/ePM1 60% Sup](#)
- [Systemair WQH 1104 BLN](#)
- [Systemair RS 40-20 L sileo](#)
- [Systemair SYSCREW 630 WATER EVO RC](#)
- [Systemair MTRS 40-27 3-ways valve](#)
- [Systemair KVO 160 Circular duct fan](#)
- [Systemair MUB/F 042 400D4-6 HT](#)
- [Systemair WQH 150 BLN](#)
- [Systemair SYSCROLL 170 Air EVO CO](#)
- [Systemair PRF 180D2 IE2](#)
- [Systemair SYSCREW 700 WATER EVO HP](#)
- [Systemair K-FST1 Frost thermostat](#)
- [Systemair RVK-EX 315D4 \(EX-RU\)](#)
- [Systemair SYSCROLL 85 Air HP](#)
- [Systemair SYSCROLL 20 Air EVO HP](#)
- [Systemair SYSAQUA125.H.1P-SP.WPS.AVM](#)
- [Systemair WQH 604 BLN](#)
- [Systemair X-DVG-H 800D6-XS/F400 IE2](#)
- [Systemair DVC 315-P \(1Ph/230V\)](#)
- [Systemair WQH 30 BLN](#)
- [Systemair SYSCROLL 95 Air HP](#)
- [Systemair WQH 904 BLN](#)
- [Systemair CIR20521 230B IЧ обігрівач](#)
- [Systemair PRF 200D2 IE2](#)
- [Systemair SYSCROLL 170 Air EVO RE](#)
- [Systemair MUB 042 500D4 IE2 Multibox](#)
- [Systemair SysFreeCool 22](#)
- [Systemair SYSCROLL 95 Air RE](#)
- [Вентилятор Systemair AW 250E4 sileo Axial fan](#)
- [Systemair SYSCREW 860 WATER EVO HP](#)
- [Вентилятор Systemair IF 150 Inlinefan](#)
- [Systemair CIR22031 400B IЧ обігрівач](#)
- [Systemair SYSCROLL 670 Air EVO CO](#)
- [Systemair SYSCROLL 530 Air EVO HP](#)
- [Systemair SYSCROLL 600 Air EVO CO](#)
- [Systemair MUB-CAV/NAV 062 560EC-20](#)
- [Systemair SYSCREW 440 WATER EVO RC](#)
- [Systemair SYSCROLL 540 Air RE](#)
- [Systemair SYSCROLL 140 Air EVO HP](#)
- [Systemair DVS 499DV**](#)
- [Systemair DVV-EX 560D4-XM Roof fan](#)
- [Systemair SYSCREW 850 Air CO](#)
- [Systemair F251-16-50 Cookerhood transf](#)
- [Systemair PSS48 Transformer 24V](#)
- [Systemair WQH 704 BLN](#)
- [Systemair SYSCROLL 120 Air HP](#)
- [Systemair MUB/T 042 400DV-20](#)
- [Systemair T 120 Timer](#)
- [Systemair SYSCROLL 270 Air CO](#)
- [Вентилятор Systemair BF 150TH Bathroom fan](#)
- [Systemair SYSAQUA90.H.1P-SP.WPS.AVM](#)
- [Systemair MUB/T 062 560EC-20](#)
- [Systemair SYSCROLL 200 Air EVO CO](#)
- [Systemair SYSCROLL 170 Air EVO HP](#)
- [Systemair MSEX 0.25-0.4 PKZM motor prot.](#)
- [Systemair Reheater VTC 700 L](#)
- [Systemair TFK Temperature sensor](#)
- [Systemair SYSAQUA140.H.1P-SP.WPS.AVM](#)
- [Systemair SysFreeCool 23](#)
- [Systemair PRF-EX 125D2 Ex d](#)
- [Systemair MUB/T 025 355DV-20](#)
- [Systemair X-MUB/T 042 450E4-20](#)
- [Systemair SYSCROLL 900 Air EVO CO](#)
- [Systemair VLC 604](#)
- [Systemair SYSCREW 490 WATER EVO CO](#)
- [Systemair PF VM2 F7/ePM1 60%](#)
- [Systemair EFD 50-30 Damper cl.3 + TF24](#)
- [Systemair MUB 062 630D6 IE2 Multibox](#)
- [Systemair SYSCROLL 530 Air EVO CO](#)
- [Systemair VIH 904](#)

- [Systemair SYSAQUA150.H.1P-SP.WPS.AVM.T](#)
- [Systemair SYSCROLL_320.Air.CO](#)
- [Systemair SYSCREW 1070 WATER EVO.CO](#)
- [Systemair SYSAQUA190.H.1P-SP.WPS.AVM.T](#)
- [Systemair SYSCROLL_120.Air.CO](#)
- [Systemair SYSCROLL_135.Air.CO](#)
- [Systemair KVO 125.EC.Circular.duct.fan](#)
- [Systemair SYSCREW 490 WATER EVO.HP](#)
- [Systemair SYSCREW 990 WATER EVO.RC](#)
- [Вентилятор Systemair BF 120S Bathroom fan](#)
- [Systemair DVG-H 315D4-XL/F400](#)
- [Systemair SYSAQUA45.H.1P-SP.WPS.AVM.T](#)
- [Systemair SYSCREW 700 WATER EVO.RC](#)
- [Systemair DVN 355DV](#)
- [Systemair SYSCROLL_540.Air.CO](#)
- [Systemair SYSCREW 1550 WATER EVO.RC](#)
- [Systemair SmartDial](#)
- [Systemair PRF-EX 160D4.Ex.d](#)
- [Systemair MUB 042 500E4 sileo Multibo-20](#)
- [Systemair MUB 042 500EC Multibox-20](#)
- [Systemair SYSAQUA190.H.1P-SP.WPS.AVM](#)
- [Systemair SYSCROLL_120.Air.RE](#)
- [Systemair SYSCROLL_140.Air.EVO.RE](#)
- [Systemair DHS 190EZ sileo roof fan](#)
- [Systemair WOH 20.BLN](#)
- [Systemair Topvex SC04 HW-L-CAV](#)
- [Systemair SysFreeCool 14](#)
- [Systemair DVNI 560D6.IE2](#)
- [Systemair KVKE 200.EC.Circular.duct.fan](#)
- [Systemair TFC 450.S Sileo Black](#)
- [Systemair SYSCROLL_280.Air.EVO.RE](#)
- [Systemair SYSCREW 1550 WATER EVO.CO](#)
- [Systemair SYSCROLL_300.Air.EVO.HP](#)
- [Systemair SYSCROLL_470.Air.CO](#)
- [Systemair SYSCROLL_95.Air.CO](#)
- [Systemair PF.VM1.F7/ePM1.60%](#)
- [Systemair SYSCREW 860 WATER EVO.RC](#)
- [Systemair MUB 025 355DV sileo Multibo-20](#)
- [Systemair SysFreeCool 44](#)
- [Systemair WOH 75.BLN](#)
- [Systemair SYSCROLL_230.Air.EVO.HP](#)
- [Systemair SYSCROLL_900.Air.EVO.HP](#)
- [Systemair PF.VTC 200.G4/Coarse.65%.S/E](#)
- [Systemair SYSCROLL_450.Air.EVO.CO](#)
- [Systemair MSEX 0.4-0.63.PKZM.motor.prof.](#)
- [Systemair SYSAQUA210.H.1P-SP.WPS.AVM](#)
- [Systemair SYSCROLL_320.Air.RE](#)
- [Systemair RVK 200E2-L.sileo 1ph/230V](#)
- [Systemair SYSCROLL_200.Air.EVO.RE](#)
- [Systemair X-MUB 062 560D4.IE2.Multibox](#)
- [Systemair WOH 120.BLN](#)
- [Systemair S2S 160.Two speed switch AW/HW](#)
- [Systemair SYSCROLL_300.Air.EVO.CO](#)
- [Systemair MUB 062 630DV sileo Multibo-20](#)
- [Systemair SYSCROLL_270.Air.HP](#)
- [Systemair SYSCREW 1070.Air.CO](#)
- [Systemair SYSCROLL_30.Air.EVO.HP](#)
- [Systemair SYSCREW 570 WATER EVO.CO](#)
- [Systemair SYSCREW 720.Air.CO](#)
- [Systemair SYSAQUA105.H.1P-SP.WPS.AVM](#)
- [Systemair VLC 704](#)
- [Systemair Control panel S-ED-TOUCH](#)
- [Systemair DVG-H 800D6-XL/F400.IE2](#)
- [Systemair PF.VTC 200.F7/ePM1.60%.Sup](#)
- [Systemair SYSCROLL_260.Air.EVO.CO](#)
- [Systemair EFD 250.Damper + LF24.motor](#)
- [Systemair X-DVG-V 450D4-8/F400](#)
- [Systemair SYSCROLL_360.Air.CO](#)
- [Systemair WOH 50.BLN](#)
- [Systemair SYSCROLL_280.Air.EVO.HP](#)
- [Systemair EFD 70-30.Damper cl.3 + TF24](#)
- [Systemair SYSCROLL_420.Air.CO](#)
- [Systemair MUB 062 630EC Multibox-20](#)
- [Systemair TLP 315/6.0.Air.handl.units](#)
- [Systemair RS485.Gateway.Wireless](#)
- [Systemair KVKE 250.M.Circular.duct.fan](#)
- [Systemair SYSCROLL_490.Air.EVO.HP](#)
- [Systemair X-MUB/T-S 062 500EC-20](#)
- [Systemair WOH 40.BLN](#)
- [Systemair VLC 110d](#)
- [Systemair PRF-EX 180D4.Ex.d](#)
- [Systemair SYSAQUA55.H.1P-SP.WPS.AVM](#)
- [Systemair SYSCREW 1000.Air.CO](#)
- [Systemair SYSCROLL_105.Air.RE](#)

- [Systemair SYSCROLL 400 Air EVO HP](#)
- [Systemair EFD 500 Damper + NF24A motor](#)
- [Systemair PRF-EX 250D4 Ex d](#)
- [Systemair KVK 500 \(3Ph/400V\)](#)
- [Systemair SYSCREW 1130 WATER EVO CO](#)
- [Systemair MUB 042 400DV sileo Multibo-20](#)
- [Systemair MUB/T 042 450EC-20](#)
- [Systemair PE VTC 300 G4/Coarse 65% S/E](#)
- [Systemair SysFreeCool 43](#)
- [Systemair SYSCREW 1070 WATER EVO HP](#)
- [Systemair DVG-H 560D6/F400 IE2](#)
- [Systemair SYSCREW 990 WATER EVO HP](#)
- [Systemair KVO 100 EC Circular duct fan](#)
- [Systemair WOH 1004 BLN](#)
- [Systemair SYSCREW 1130 Air CO](#)
- [Systemair SYSCROLL 360 Air HP](#)
- [Systemair SYSCROLL 360 Air RE](#)
- [Systemair SYSAQUA40.H.1P-SP.WPS.AVM.T](#)
- [Systemair SYSCROLL 400 Air EVO CO](#)
- [Systemair DVN 630D6 IE2](#)
- [Systemair SYSCREW 920 WATER EVO RC](#)
- [Systemair SYSCREW 700 WATER EVO CO](#)
- [Systemair MUB 062 560D4 IE3 Multibox-20](#)
- [Systemair SYSCROLL 360 Air EVO CO](#)
- [Systemair MUB-CAV/VAV 100 710EC-20](#)
- [Systemair SYSCROLL 670 Air EVO HP](#)
- [Systemair KVO 100 Circular duct fan](#)
- [Systemair SysFreeCool 34](#)
- [Systemair DVNI 400E4](#)
- [Systemair SYSCREW 1280 WATER EVO CO](#)
- [Systemair CBF 100LTH Bathroom fan](#)
- [Systemair STDT 16E Motor Protection](#)
- [Systemair SYSCREW 770 WATER EVO RC](#)
- [Systemair SYSCROLL 240 Air HP](#)
- [Systemair SYSCREW 450 Air CO](#)
- [Systemair SYSCROLL 590 Air CO](#)
- [Systemair DVG-V 355D4/F400](#)
- [Systemair SysFreeCool 12](#)
- [Systemair EFD 100-35 Damper cl.3 + 1.F24](#)
- [Systemair DVG-H 630D6-XS/F400 IE2](#)
- [Systemair DVG-H 500D4-XL/F400 IE2](#)
- [Systemair SR160.H.SYS.G4+F7.EC LPE.S1.R1](#)
- [Systemair DVG-V 500D6-XL/F400 IE2](#)
- [Systemair X-MUB/T 062 500D4 IE3-20](#)
- [Systemair SR140.H.SYS.G4+F7.EC HPE.S1.R1](#)
- [Systemair X-DVG-H 400D4-6-XL/F400](#)
- [Systemair DVG-V 630D4-XM/F400 IE2](#)
- [Systemair prio silent 150E2 duct fan](#)
- [Systemair prio silent 200E2 duct fan](#)
- [Systemair SR55.H.SYS.G4+F7.EC LPE.S1.R1D](#)
- [Systemair DVG-H 630D4-XM/F400](#)
- [Systemair SR210.H.SYS.G4+F7.EC LPE.S1.R1](#)
- [Systemair SR105.H.SYS.G4+F7.EC LPE.S1.R1](#)
- [Systemair X-DVG-H 400D4-8-XL/F400](#)
- [Systemair DVG-V 630D6-XL/F400 IE2](#)
- [Systemair SR120.H.SYS.G4+F7.EC HPE.S1.R1](#)
- [Systemair DVG-H 400D6-XL/F400](#)
- [Systemair prio silent 160E2 duct fan](#)
- [Systemair prio silent 315EC duct fan](#)
- [Systemair SR95.H.SYS.G4+F7.EC LPE.S1.R1D](#)
- [Systemair DVG-V 630D6-XS/F400 IE2](#)
- [Systemair SR65.H.SYS.G4+F7.EC HPE.S1.R1D](#)
- [Systemair DVG-H 630D6-XL/F400 IE2](#)
- [Systemair MUB 100 710D6 IE3 Multibox-20](#)
- [Systemair SR190.H.SYS.G4+F7.EC LPE.S1.R1](#)
- [Systemair prio silent 315E2 duct fan](#)
- [Systemair prio silent 160EC duct fan](#)
- [Systemair SR80.H.SYS.G4+F7.EC LPE.S1.R1D](#)
- [Systemair GIR15 Захисна решітка](#)
- [Systemair GIR30 Захисна решітка](#)
- [Вентилятор Systemair BF 100TH Bathroom fan](#)
- [Вентилятор Systemair BF 120T Bathroom fan \(Timer\)](#)
- [Вентилятор Systemair BF 120TH Bathroom fan](#)
- [Вентилятор Systemair BF 150T Bathroom fan \(Timer\)](#)